

EXHIBIT A

The
United
States
of
America



The Director of the United States
Patent and Trademark Office

Has received an application for a new, original, and ornamental design for an article of manufacture. The title and description of the design are enclosed. The requirements of law have been complied with, and it has been determined that a patent on the design shall be granted under the law.

Therefore, this

United States Patent

Grants to the person(s) having title to this patent the right to exclude others from making, using, offering for sale, or selling the design throughout the United States of America, or importing the design into the United States of America for the term of fourteen years from the date of grant of this patent.

Jon W. I. Dudas

Director of the United States Patent and Trademark Office

(12) **United States Design Patent**
Wehner

(10) **Patent No.:** **US D504,519 S**

(45) **Date of Patent:** **** Apr. 26, 2005**

(54) **COLLAPSIBLE ENCLOSURE**

OTHER PUBLICATIONS

(76) **Inventor:** **Scott Wehner, 4407 W. Stanley Rd.,
Mt. Morris, MI (US) 48458**

Ameristep Quality Hunting, 2002.
Ameristep Quality Hunting—A Step Above, 2003 Product
Catalog.

(**) **Term:** **14 Years**

* cited by examiner

(21) **Appl. No.:** **29/211,188**

Primary Examiner—Doris Clark

(22) **Filed:** **Aug. 11, 2004**

(74) *Attorney, Agent, or Firm*—Young & Basile, P.C.

Related U.S. Application Data

(57) **CLAIM**

(63) Continuation of application No. 10/889,675, filed on Jul. 13,
2004.

The ornamental design for a collapsible enclosure, as shown
and described.

(51) **LOC (7) Cl.** **25-03**

DESCRIPTION

(52) **U.S. Cl.** **D25/33; D25/1; D25/22**

(58) **Field of Search** **D25/33, 22, 1;
135/87, 908, 125, 143; D21/834, 837; D6/432,
433; 52/79.5**

FIG. 1 is a perspective view of the collapsible enclosure
showing my new design;

FIG. 2 is a front elevational view of the collapsible enclosure
of FIG. 1;

FIG. 3 is a rear elevational view of the collapsible enclosure
of FIG. 1;

FIG. 4 is a side elevational view of the collapsible enclosure
of FIG. 1, the opposite side being a mirror image thereof;

FIG. 5 is a top plan view of the collapsible enclosure of FIG.
1; and,

FIG. 6 is a bottom plan view of the collapsible enclosure of
FIG. 1.


The broken lines showing additional detail are for illustra-
tive purposes only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,810,482 A	5/1974	Beavers	
3,941,140 A	3/1976	Beavers	
4,026,312 A	5/1977	Beavers	
D276,466 S	* 11/1984	Giovagnoli	D25/1
D300,362 S	* 3/1989	Adams	D25/33
4,941,499 A	7/1990	Pelsue et al.	
4,998,552 A	3/1991	Niksic et al.	
5,222,513 A	6/1993	Hilliard	
5,671,766 A	* 9/1997	Williams	135/121

1 Claim, 3 Drawing Sheets






FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6

EXHIBIT B

The
United
States
of
America



The Director of the United States
Patent and Trademark Office

Has received an application for a new, original, and ornamental design for an article of manufacture. The title and description of the design are enclosed. The requirements of law have been complied with, and it has been determined that a patent on the design shall be granted under the law.

Therefore, this

United States Patent

Grants to the person(s) having title to this patent the right to exclude others from making, using, offering for sale, or selling the design throughout the United States of America, or importing the design into the United States of America for the term of fourteen years from the date of grant of this patent.

Jon W. I. Dudas

Director of the United States Patent and Trademark Office

(12) **United States Design Patent** (10) Patent No.: **US D505,176 S**
Wehner (45) Date of Patent: **** May 17, 2005**

(54) **COLLAPSIBLE ENCLOSURE**(76) Inventor: **Scott Wehner, 4407 W. Stanley Rd.,
Mt. Morris, MI (US) 48458**(**) Term: **14 Years**(21) Appl. No.: **29/199,674**(22) Filed: **Feb. 17, 2004**(51) LOC (7) Cl. **21-04**(52) U.S. Cl. **D21/834; D21/838**(58) Field of Search **D21/834-840;
D25/16, 19, 26, 13, 32; 135/97, 123-126,
128, 135, 136, 143, 147, 156, 115, 121,
900-902, 160; 446/487, 478**(56) **References Cited****U.S. PATENT DOCUMENTS**

837,802 A * 12/1906 Dalton 135/117
 2,737,397 A * 3/1956 Turner 135/901
 2,810,390 A * 10/1957 Wallace et al. 135/160
 2,960,992 A * 11/1960 Klipfel 135/123
 3,114,377 A * 12/1963 Clement 135/160
 3,739,536 A * 6/1973 Ward 135/901
 3,810,482 A 5/1974 Beavers
 3,826,270 A * 7/1974 Hentges 135/901
 3,941,140 A 3/1976 Beavers
 4,026,312 A 5/1977 Beavers
 4,941,499 A 7/1990 Pelsue et al.
 4,998,552 A 3/1991 Niksic et al.

5,117,853 A * 6/1992 Pruesner 135/121
 5,671,766 A * 9/1997 Williams 135/143
 D429,307 S * 8/2000 Wu et al. D21/834

OTHER PUBLICATIONS

Ameristep Quality Hunting, 2002.
 Ameristep Quality Hunting—A Step Above, 2003 Product
 Catalog.

* cited by examiner

Primary Examiner—Raphael Barkai

(74) Attorney, Agent, or Firm—Young & Basile, P.C.

(57) **CLAIM**

The ornamental design for a collapsible enclosure, as shown
 in the attached drawings.

DESCRIPTION


FIG. 1 is a perspective view of the collapsible enclosure
 showing my new design;

FIG. 2 is a front view of the collapsible enclosure of FIG. 1;
 FIG. 3 is a rear plan view of the collapsible enclosure of FIG.
 1;

FIG. 4 is a right side plan view of the collapsible enclosure
 of FIG. 1;

FIG. 5 is a top plan view of the collapsible enclosure of FIG.
 1; and,

FIG. 6 is a bottom view of the collapsible enclosure of FIG.
 1.

1 Claim, 3 Drawing Sheets




FIG - 1




FIG - 2




FIG - 3




FIG - 4




FIG - 5




FIG - 6

EXHIBIT C



US00D527786S

(12) **United States Design Patent** (10) Patent No.: **US D527,786 S**
Wehner (45) Date of Patent: **** Sep. 5, 2006**

(54) **ENCLOSURE**(76) Inventor: **Scott Wehner, 4407 W. Stanley Rd.,
Mt. Morris, MI (US) 48458**(**) Term: **14 Years**(21) Appl. No.: **29/211,074**(22) Filed: **Aug. 11, 2004****Related U.S. Application Data**

(63) Continuation of application No. 10/889,675, filed on Jul. 13, 2004.

(51) LOC (8) Cl. **21-04**(52) U.S. Cl. **D21/834**(58) Field of Classification Search **D21/834-839;
D25/13, 16-20, 26, 56; 135/87, 100, 121,
135/124, 126, 128, 135, 136, 143, 156, 901,
135/902; 446/487, 478**

See application file for complete search history.

(56) **References Cited****U.S. PATENT DOCUMENTS**

D193,051 S * 6/1962 Jacobs D21/838
 3,941,140 A 3/1976 Beavers
 3,960,161 A * 6/1976 Norman 135/126
 4,026,312 A * 5/1977 Beavers 135/147
 D261,793 S * 11/1981 Ferguson D21/834
 4,941,499 A * 7/1990 Pelsue et al. 135/125
 5,137,044 A * 8/1992 Brady 135/126
 5,394,897 A * 3/1995 Ritchey et al. 135/124
 D382,623 S * 8/1997 Bohart D21/834

D383,518 S * 9/1997 Bohart D21/834
 D429,307 S * 8/2000 Wu et al. D21/834
 6,694,994 B1 * 2/2004 Zheng 135/126
 D493,505 S * 7/2004 Arthur D21/834
 6,851,439 B1 * 2/2005 Zheng 135/126

OTHER PUBLICATIONS

Ameristep Quality Hunting, 2002.

Ameristep Quality Hunting—A Step Above, 2003 Product Catalog.

* cited by examiner

Primary Examiner—Holly Baynham

Assistant Examiner—Cynthia M. Chin

(74) Attorney, Agent, or Firm—Young & Basile, P.C.

(57) **CLAIM**

The ornamental design for an enclosure, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of the enclosure showing my new design;

FIG. 2 is a front elevational view of the enclosure of FIG. 1, the rear being identical thereto;

FIG. 3 is a side elevational view of the enclosure of FIG. 1, the opposite side being identical thereto;

FIG. 4 is a top plan view of the enclosure of FIG. 1; and, FIG. 5 is a bottom plan view of the enclosure of FIG. 1.

The broken lines showing additional detail are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets

U.S. Patent

Sep. 5, 2006

Sheet 1 of 3

US D527,786 S




FIG - 1

U.S. Patent

Sep. 5, 2006

Sheet 2 of 3

US D527,786 S




FIG - 2




FIG - 3

U.S. Patent

Sep. 5, 2006

Sheet 3 of 3

US D527,786 S




FIG - 4




FIG - 5

EXHIBIT D

The United States of America



CERTIFICATE OF REGISTRATION PRINCIPAL REGISTER

The Mark shown in this certificate has been registered in the United States Patent and Trademark Office to the named registrant.

The records of the United States Patent and Trademark Office show that an application for registration of the Mark shown in this Certificate was filed in the Office; that the application was examined and determined to be in compliance with the requirements of the law and with the regulations prescribed by the Director of the United States Patent and Trademark Office; and that the Applicant is entitled to registration of the Mark under the Trademark Act of 1946, as Amended.

A copy of the Mark and pertinent data from the application are part of this certificate.

To avoid CANCELLATION of the registration, the owner of the registration must submit a declaration of continued use or excusable non-use between the fifth and sixth years after the registration date. (See next page for more information.) Assuming such a declaration is properly filed, the registration will remain in force for ten (10) years, unless terminated by an order of the Commissioner for Trademarks or a federal court. (See next page for information on maintenance requirements for successive ten-year periods.)



Acting Director of the United States Patent and Trademark Office

Int. Cl.: 19

Prior U.S. Cls.: 1, 12, 33 and 50

United States Patent and Trademark Office

Reg. No. 2,873,809

Registered Aug. 17, 2004

**TRADEMARK
PRINCIPAL REGISTER**

SPRINGHOUSE

AMERISTEP, INC. (MICHIGAN CORPORATION)
901 TACOMA ROAD
CLIO, MI 48420

FIRST USE 8-1-2003; IN COMMERCE 8-1-2003.

SER. NO. 76-525,210, FILED 6-23-2003.

FOR: PRE-FABRICATED GREENHOUSES, IN
CLASS 19 (U.S. CLS. 1, 12, 33 AND 50).

BRETT J. GOLDEN, EXAMINING ATTORNEY

EXHIBIT E

The United States of America



**CERTIFICATE OF REGISTRATION
SUPPLEMENTAL REGISTER**

The Mark shown in this certificate has been registered in the United States Patent and Trademark Office to the named registrant.

The records of the United States Patent and Trademark Office show that an application for registration of the Mark shown in this Certificate was filed in the Office; that the application was examined and determined to be in compliance with the requirements of the law and with the regulations prescribed by the Director of the United States Patent and Trademark Office; and that the Applicant is entitled to registration of the Mark under the Trademark Act of 1946, as Amended.

A copy of the Mark and pertinent data from the application are part of this certificate.

This registration shall remain in force for TEN (10) years, unless terminated earlier as provided by law, and subject to compliance with the provisions of Section 8 of the Trademark Act of 1946, as Amended.



Jon W. I. Dudas

Director of the United States Patent and Trademark Office

Int. Cl.: 19

Prior U.S. Cls.: 1, 12, 33, and 50

United States Patent and Trademark Office

Reg. No. 3,030,789

Registered Dec. 13, 2005

**TRADEMARK
SUPPLEMENTAL REGISTER**

SEEDHOUSE

WORLDWIDE CREATIONS, L.L.C. (MICHIGAN
LTD LIAB CO)
901 TACOMA ROAD
CLIO, MI 48420

THE MARK CONSISTS OF STANDARD CHAR-
ACTERS WITHOUT CLAIM TO ANY PARTICULAR
FONT, STYLE, SIZE, OR COLOR.



FOR: PRE-FABRICATED GREENHOUSES, IN
CLASS 19 (U.S. CLS. 1, 12, 33 AND 50).

SER. NO. 76-592,595, FILED P.R. 5-17-2004; AM. S.R.
10-12-2005.

FIRST USE 2-1-2004; IN COMMERCE 2-1-2004.


JAMES A. RAUEN, EXAMINING ATTORNEY

EXHIBIT F

 Sun Twist PATENTED TECHNOLOGY SPRING HOUSE		ITEMS: <u>UPC</u>		DESCRIPTION Spring House		AVAILABLE DATE Jan. 2009	
							
SRP	PACK		DUTY		40' Qty		CUBE (CBM/CFT)
\$149.99	1		0.0%		535		0.107 5.762
IMPERIAL	RETAIL (W x H x D) in		UNIT WEIGHT lbs		MASTER (W x H x D) in		MASTER WEIGHT
	32	x 32 x 6	37.5 lbs.		32.25 x 32.25 x 6.25		41.25 lbs.
METRIC	RETAIL (W x H x D) cm		UNIT WEIGHT kg		MASTER (W x H x D) cm		MASTER WEIGHT
	81.28	x 81.28 x 15.24	17.05		81.915 x 81.915 x 15.875		18.75 kgs.
PKG TYPE	DOM		DI		HTS#		
Retail Box							
PRODUCT DIMS (W x H x D) in		PRODUCT DIMS (W x H x D) cm		AGES			
60 x 78 x 72		152.4 x 198.12 x 182.88		3+			
FEATURES & BENEFITS							
Light-weight and Portable Enclosure offers pests protection One person set-up EZ Twist n' Fold Patented Technology for quick and easy storage Carry bag included Stakes included							
MATERIALS							
PVC and heavy duty fabric lining							

Sun Twist
PATENTED TECHNOLOGY
SEED HOUSE

VISUAL SUPPORT MATERIALS



ITEMS: UPC

DESCRIPTION

Seed House

AVAILABLE DATE

Jan. 2009

SRP	PACK	DUTY	40' Qty	CUBE (CBM/CFT)
\$29.99	4	0.0%	3.696	0.062 2.176
IMPERIAL	RETAIL (W x H x D) in	UNIT WEIGHT lbs	MASTER (W x H x D) in	MASTER WEIGHT
16	x 16 x 3.5	lbs.	16.25 x 16.25 x 14.25	17.6 lbs.
METRIC	RETAIL (W x H x D) cm	UNIT WEIGHT kg	MASTER (W x H x D) cm	MASTER WEIGHT
40.64	x 40.64 x 8.89	kgs.	41.275 x 41.275 x 36.195	8.00 kgs.
PKG TYPE	DOM	DI	HTS#	
Retail Box				
PRODUCT DIMS (W x H x D) in	PRODUCT DIMS (W x H x D) cm	AGES		
30 x 32 x 30	76.2 x 81.28 x 76.2	3+		

FEATURES & BENEFITS


Light-weight and Portable
Enclosure offers pests protection
EZ Twist n' Fold Patented Technology for quick and easy storage
Carry case included

MATERIALS

Tarp and heavy duty fabric lining

Sun Twist
PATENTED TECHNOLOGY
PLANT HOUSE

VISUAL SUPPORT MATERIALS



ITEMS: UPC

DESCRIPTION
Plant House

AVAILABLE DATE
Jan. 2009

SNP	PACK	DUTY	40' Qty	CUBE (CBM/CFT)
\$39.99	4	0.0%		0.000 0.000
IMPERIAL	RETAIL (W x H x D) in	UNIT WEIGHT lbs	MASTER (W x H x D) in	MASTER WEIGHT
	17.5 x 16.5 x 4.5	lbs.	x x	0 lbs.
METRIC	RETAIL (W x H x D) cm	UNIT WEIGHT kg	MASTER (W x H x D) cm	MASTER WEIGHT
	44.45 x 41.91 x 11.43	kgs.	0 x 0 x 0	0.00 kgs.
PKG TYPE	DOM	DI	HTS#	
Retail Box				
PRODUCT DIMS (W x H x D) in		PRODUCT DIMS (W x H x D) cm	AGES	
36 x 42 x 36		91.44 x 106.68 x 91.44	3+	

FEATURES & BENEFITS

Light-weight and Portable
Enclosure offers pests protection
EZ Twist n' Fold Patented Technology for quick and easy storage
Carry case included

MATERIALS

Tarp and heavy duty fabric lining

